

V01 11/2021



DESCRIPTION

• Water-based high gloss finish sealer

AREA OF APPLICATION

- Sealing of painted surfaces
- Protects the paint from weathering, fingerprints and slight mechanical damage
- Perfectly suitable as assembly protection in industry or car dealerships
- Can be applied by hand and machine

:: BENEFITS

- Very good resistance to alkaline cleaners and environmental influences
- Extremely smooth surface
- Long-lasting protection
- Brilliant deep shine
- Very quick and easy to use

CAPPLICATION ADVICE

• We recommend using the Carsystem Wax Puck

:: PRODUCT DATA

Technical data

Colour:	White
Odour:	Characteristic
Container size:	500 g
pH-value at 20 °C:	7.2
Density at 20 °C:	0.99 g/cm ³
Storage life at 20 °C:	24 months in closed original container





V01 11/2021



: APPLICATION

In case of paints with traces of use, we recommend a pre-treatment with one of our grinding or polishing pastes. The surface should be dry, free of dust and the surface temperature should be lower than 30 °C. The manual processing is ideally done with our Wax Puck with light circular movements. When processing with polishing machines, we recommend using a soft polishing foam for applying the C-Wax C-80. After a flsh-off time of 3 - 5 minutes, the sealing residues can simply be wiped off with a microfiber cloth. Due to the special recipe, the residues of the C-Wax C-80 can be easily wiped off even after a longer flash-off time. Shake well before use.

SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, expect we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery terms and conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE

Page 2 of 2