

03/2021

# Coat-schwarz

control powder - black

#### **CHARACTERISTICS**

1

DRY-COAT is a black control powder developed specially for the body painter for the optical control of the surface to be sanded. The finest unevenness or badly sanded spots are thus directly shown up. DRY-COAT offers the user more security with manual and machine sanding. The powder contains no solvents and does not clog up the sander during sanding.

#### **APPLICATION**

DRY-COAT is sprayed lightly on the puttied/filled areas and spread with the sponge integrated into the handle. For this, DRY-COAT serves to make pores and uneven areas visible after sanding.

### **PRODUCT DATA**

Material data - powder Colour: black Base: Soda lime-borosilicate-glass Density: 3 g/cm<sup>3</sup> Shelf life with correct dry storage at 20°C: 24 months

Material data – foam Colour: black

HANDLING

Base:

VOSSCHEMIE GMBH Esinger Steinweg 50 D-25436 Uetersen Telefon +49 (0) 4122/717 -0 Telefax +49 (0) 4122/717-158 E-Mail info@vosschemie.de

www.carsystem.org www.vosschemie.de





03/2021

The base must be clean, dry and grease-free.

Dosing:

Press once hard on the handle. The handle opening must be pointing to the product to be sanded. Then spread the powder with the sponge on the handle.

## **SAFETY ISSUES**

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply. Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE

VOSSCHEMIE GMBH Esinger Steinweg 50 D-25436 Uetersen

www.carsystem.org www.vosschemie.de

