

cleaner

CHARACTERISTICS

The H₂O Cleaner is a powerful cleaner that is applicable to water-based and solvent based paints.

In addition the H₂O Cleaner also works on 2K primers and products that are based on epoxy and polyester base.

The H₂O Cleaner is gently against human and the environment. After cleaning, the pigments settle on the ground, whereby the cleaner can be used several times.

APPLICATION

An intensive water-based cleaner for the thorough and environmentally friendly cleaning of equipment, parts and appliances in paint shops such as:

- Spray guns
- Putty tools
- Mixing plants
- Scale plates
- Gratings
- Parts racks
- Suspension Gears
- Body racks
- As a cleaner in automatic part washers
- As a degreaser/ cleaner in the workshop area





HANDLING

The optimal effect can be achieved when the spray guns are cleaned with a soft brush with the H₂O Cleaner. After cleaning, the pigments settle to the bottom and the product can be used again.

If the H₂O Cleaner is used in cleaning machines, the cleaning machine must be free of other cleaners. For strong pollution the H₂O Cleaner can also be applied with a brush.

After cleaning with the H₂O Cleaner it must be rinsed with water.

WARNING:

At excessively long contact of the galvanized pistol connecting nipple, these can easily rust. Likewise, the surface of aluminium nipples can be easily eroded.

SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the



Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE

Telefon Telefax E-Mail +49 (0) 4122/717 -0 +49 (0) 4122/717-158 info@vosschemie.de