

CS Sanding Fleece V.19

Sanding Fleece - Roll

:: DESCRIPTION

- Sanding Fleece with three-dimensional structure
- The synthetic resin soaks through the fleece and distributes the sanding grain all over

:: AREA OF APPLICATION

- Matting of corners, roundings or sharp edges prior to filler or paint application
- Red very fine = prior to filler application
- Grey ultra fine = prior to paint application

:: BENEFITS

- High cutting power
- Suitable for wet and dry sanding
- On a roll for easy cut off in the needed length

:: APPLICATION ADVICE

- Perfectly suitable with the Carsystem matting pastes

:: PRODUCT DATA

Technical data

Dimensions: 115mm x 10m
Material: Nylon fiber
Grain: Aluminium oxide

CS Sanding Fleece V.19

Sanding Fleece - Roll

V01
01/2021

:: SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, expect we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery terms and conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE