

# SILICONE REMOVER WATER 2.0

*Silicone remover – water-based*

V02  
09/2025

## Description

- Special cleaner water-based
- Antistatic effect – to avoid dust inclusions on surfaces
- Non-aggressive cleaning detergent

## Area of application

- Perfect for cleaning tools or surfaces such as plastics, glass, existing paintwork, etc.
- Cleaning of spray guns (preliminary test recommended)
- Surface cleaning before the painting process (preliminary test recommended)

## Benefits

- Cleaning of all surfaces
- Easy removal of dirt such as oil, grease, dust, salt and minerals etc.
- Time saving application (surface cleaning and antistatic effect)

## Product Data

### Material data

Material:	Liquid
Colour:	transparent
Density:	0,93 - 1,03 g/cm <sup>3</sup>
VOC-content:	2204/42/IIB(a)(200)- <200 g/l
Storage:	approx. 24 months in original closed container

## Application

Suitable for the following surfaces: 2K polyester putty (allow sufficient flash-off time), primers/fillers, metals such as steel, aluminium, galvanized surfaces, glass, plastic, existing paintwork, **industrial** primers, etc.

We recommend a test of the compatibility of the surface to be cleaned in all cases. Some 1K primer can be solvated by using the SILICONE REMOVER WATER 2.0. Take care of a sufficient flash-off time on all surfaces to avoid moisture- or solvent inclusions.

Clean the surface with dry, clean cloths to remove any detached pollution. Clean the surface step-by-step and change the cloths to leave no residues.

# SILICONE REMOVER WATER 2.0

*Silicone remover – water-based*

V02  
09/2025



## Storage and transportation conditions

Store the product in a cool, dark and dry place, away from food and feed, and out of the reach of children and animals. When stored correctly, the unopened product has a shelf life of 24 months.

Ensure that the container is tightly closed during transport. If necessary, transport it in an outer carton.



## Notice

Safety data sheet available on request.

For prolonged skin contact, it is recommended to wear protective gloves tested in accordance with EN 374. Do not dispose of with household waste. Do not pour into the sewer system. Containers and product residues should be treated as hazardous substances and must be taken to a collection point for hazardous materials. EBR 07 06 99 – waste from the manufacture, formulation, supply and use (MFSU) of fats, lubricants, soaps, detergents, disinfectants and personal care products.



## Safety issues

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

© VOSSCHEMIE

© VOSSCHEMIE