



THE NEW POLISH X-SERIES

 **EXPERIENCE.
INNOVATION.
QUALITY.**

www.carsystem.org



COMPOUND X1500

Maximum performance. Perfect finish.

The **Compound X1500** combines extremely high cutting power with a surprisingly fine finish – in just one single step. Due to its high abrasiveness, the polish is ideal for the rapid removal of sanding marks. After 15 seconds of polishing, the abrasive grain breaks down into finer particles, ensuring a smooth polishing pattern and high gloss.

Thanks to the grain breakdown during the polishing process, the **Compound X1500** is also excellent for dark paints – delivering impressive results with minimal reworking.

- Very high cut in the first 10 seconds
- Fast and visible polishing results
- Becomes significantly finer after a short time
- Low speed range (600 – 1500 rpm) – safe to use
- Compound does not dry out – no dust formation during polishing
- High efficiency
- No splashing during polishing
- Suitable for rotary and random orbital application
- High gloss finish, even on dark paintwork
- One-step polishing application on light-coloured paintwork
- Very easy to wipe off after polishing – without applying pressure
- Water-based

Compound X1500 – when speed, control and gloss are crucial.



SILICONE
FREE



POLISH X8000

Perfect finish in every detail.

Polish X8000 has been developed to provide a fine and safe finish for modern automotive coatings. It contains microscopic small abrasives that remove even the finest scratches and holograms with maximum control.

Thanks to its balanced formula, the polish is easy and safe to use and ensures a consistent finish with long-lasting high gloss. Ideal as the final polishing step to remove holograms and enhance the depth of gloss.

- Removes the finest scratches
- Easy and safe to use
- Long-lasting, hologram-free results – contains no silicones or oils
- Very high gloss level
- Very economical
- No splashing during polishing
- Suitable for rotary and random orbital use
- Very easy to clean up after polishing – without applying pressure
- Water-based

Polish X8000 – for a flawless finish and maximum deep gloss.




SILICONE
FREE





COMPOUND X1500 | POLISH X8000

Art.-Nr.	Description	SP	MOQ	EAN Code	Country of origin	Customs number
160.446	Compound X1500 HC 500 g	1	10	4102871604465	DE	34053000
160.451	Polish X8000 AH 500 g	1	10	4102871604519	DE	34053000



POLISHING PAD X1500 HC – HEAVY CUT


Maximum cut. Fast results.

The specially developed **Polishing Pad X1500 HC** for the **Compound X1500** ensures maximum speed and complements the high-performance polish perfectly. The hardness and density of the polishing pad are ideal for removing sanded imperfections in the shortest possible time. The sandwich construction offers the maximum flexibility for the user and makes it safe to use on sensitive paintwork or complex surfaces.

- Ideal for the rapid removal of sanded imperfections in the topcoat
- Sandwich construction offers flexibility, safety and pressure distribution
- Suitable for rotary and random orbital use
- Tapered shape enables precise polishing
- Dimensionally and thermally stable foam for maximum performance
- No water, soap or cleaner required for cleaning – the polishing pad can be easily blown clean with compressed air

Art.-Nr.	Description	SP	MOQ	EAN Code	Country of origin	Customs number
160.447	Polishing Pad X1500 HC 145 mm Pack of 2	2	200	4102871604472	DE	39269097
160.448	Polishing Pad X1500 HC 85 mm Pack of 2	2	500	4102871604489	DE	39269097

To match:



POLISHING PAD X1500 MC – MEDIUM CUT

The perfect balance – for any surface.

The **Polishing Pad X1500 MC** offers the perfect balance between removal rate, speed and safety. The slightly reduced hardness of the polishing pad ensures a lower removal rate, but also makes it an all-rounder for every surface and every user. The sandwich construction supports the user and ensures perfect handling even with complex components or sensitive surfaces.

- Ideal for the easy removal of sanded imperfections in the topcoat
- Sandwich construction offers flexibility, safety and even pressure distribution
- Suitable for rotary and random orbital use
- Tapered shape enables precise polishing
- Dimensionally and thermally stable foam for maximum performance
- No water, soap or cleaner required for cleaning – the polishing pad can be easily blown clean with compressed air

Art.-Nr.	Description	SP	MOQ	EAN Code	Country of origin	Customs number
160.449	Polishing Pad X1500 MC 145 mm Pack of 2	2	200	4102871604496	DE	39269097
160.450	Polishing Pad X1500 MC 85 mm Pack of 2	2	500	4102871604502	DE	39269097

POLISHING PAD X8000 AH – ANTI HOLOGRAMM

100 % shine – 0 % holograms

The **Polishing Pad X8000 AH** has been specially developed to use with the **Polish X8000** and is the ideal choice for the final polishing step. Thanks to its fine-pored structure, the pad enhances the performance of the microscopically small abrasive grains, enabling the safe removal of the finest scratches and delivering a hologram-free finish.

- Ideal for the easy removal of holograms from all types of paintwork
- Soft pad structure offers maximum paint protection
- Perfect for the final polishing step
- Suitable for rotary and random orbital use
- Tapered shape enables precise polishing
- Dimensionally and thermally stable foam for maximum performance
- No water, soap or cleaner required for cleaning – the polishing pad can be easily blown clean with compressed air

Art.-Nr.	Description	SP	MOQ	EAN Code	Country of origin	Customs number
160.452	Polishing Pad X8000 AH 145 mm Pack of 2	2	200	4102871604526	DE	39269097
160.453	Polishing Pad X8000 AH 85 mm Pack of 2	2	500	4102871604533	DE	39269097

To match:



To match:



MICROFIBER X300 DUO

Clean. Safe. Always to hand.

The **Microfibre X300** offers high-quality microfibre cloths for daily use in the paint shop. The optimal fibre density ensures excellent dirt and polish absorption whilst being gentle on any surface.

Two different colours allow for a clear separation of application areas, e.g. coarse polishing, fine polishing or general cleaning.

Thanks to the two dispensing openings, the microfibre cloths can be removed quickly, cleanly and individually – ideal for an efficient and organised workflow.

- Ultrasonically cut – No hem = no scratches
- Two colours for clear separation of work or application areas
- Excellent absorption of dirt or polish residues
- Gentle on paintwork, glass and plastic
- Practical box with 2 dispensing openings

The clean solution for structured and professional work processes.



MICROFIBER X300 DUO

MICRO FIBER CLOTH

Art.-Nr.	Description	SP	MOQ	EAN Code
160.457	Microfiber X300 Duo	1 pcs.	1 pcs.	4102871604571

Machine washable without additives up to



CARSYSTEM HEADQUARTERS
VOSSCHEMIE GmbH
Esinger Steinweg 50 | 25436 Uetersen / Germany

E-Mail: info@vosschemie.de
Tel.: +49 (0) 41 22 / 717-0 | Fax: +49 (0) 41 22 / 717-193

   www.carsystem.org