

## :: Silicone Remover Water

degreaser - water

### CHARACTERISTICS

- Efficient removal of dirt, grease, oil, silicone, wax, tar, adhesive residues etc.
- Antistatic effect to avoid dust inclusions.
- Easy and time saving application.
- Veryfast flash-off time
- High yield
- Mild, non-aggressive cleaning detergent
- Increases the adhesion of following paint-applications

### APPLICATION

- Cleaning agentfor all works occurring prior to the painting process

### PRODUCT DATA

Specific weight: 0,98 g/cm<sup>3</sup>

V.O.C. < 200 g/l

Shelf life: unlimited – in closed original packaging

Colour: transparent

Silicone Remover water: 2004/42/IIB(a)(200) >200: The EU limit value for this product (Cat.: IIB.all) in ready-for-use adjustment amounts max 200 g/l.

This product contains <200 g/l VOC.

## **HANDLING**

Surface:

- Primed filled surfaces
- Metall, glass
- Old paintings, original paintings from supplier
- Painted and unpainted surfaces

## **APPLICATION**

Soak a dry and clean non-fuzzing fleece with Silicone Remover. Clean the surface step-by-step, in small areas of 0,5 m<sup>2</sup> and clean again afterwards immediately with another clean fleece. Allow the cleaned surface to evaporate thoroughly. Do not allow the Silicone Remover to dry on surface.



01/2020

**Attention:**

Some 1K primer can be solvated easily on watery shallowly surfaces due to the use of Silicone Remover. In that case let the substrate evaporate thoroughly, in order that there remains no solvent in the paint bodywork. In extreme cases the 1K primer must be removed prior to the paint bodywork .

**FOR USE BY PROFESSIONALS ONLY!****SAFETY ISSUES**

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.



01/2020

Copyright VOSSCHEMIE